

POCINKANI FITINGI




Opis

Pocinkani fittingi so narejeni iz temprane litine in se uporabljajo za vodovode, plinovode in ostale instalacije. Fittingi ustrezajo standardu EN 10242.


Dodatni material - tesnilna vrstica

Tesnilna vrstica za tesnjenje in varovanje kovinskih, plastičnih navojev in cevi. Omogoča tesnjenje pod visokim pritiskom.




TULJAVA

DIMENZIJA	a	s
1/2"	44	27
3/4"	47	32
1"	53	41
5/4"	57	50
6/4"	59	55
2"	68	70
2 1/2"	75	85
3"	83	100
4"	95	130




T - KOS

DIMENZIJA	a
3/8"	25
1/2"	28
3/4"	33
1"	38
5/4"	45
6/4"	50
2"	58
2 1/2"	69
3"	78
4"	96




KOLENO N/Z

DIMENZIJA	a
1/2"	28
3/4"	33
1"	38
5/4"	45
6/4"	50
2"	58
2 1/2"	69
3"	78




KOLENO

DIMENZIJA	a
3/8"	25
1/2"	28
3/4"	33
1"	38
5/4"	45
6/4"	50
2"	58
2 1/2"	69
3"	78
4"	96




R - KOS

DIMENZIJA	a
3/4"-1/2"	33
1"-1/2"	29
1"-3/4"	29
1 1/4"-1/2"	31
1 1/4"-3/4"	31
1 1/4"-1"	31
5/4"-1/2"	31
1 1/2"-3/4"	31
1 1/2"-1"	31
5/4"-1 3/4"	31
5/4"-6/4"	31
2"-1/2"	48
2"-3/4"	48
2"-1"	35
2"-6/4"	35
2"-5/4"	35
2 1/2"-1"	54
2 1/2"-6/4"	54
2 1/2"-5/4"	40
2 1/2"-2"	40
3"-6/4"	59
3"-6/4"	59
3"-2"	44
3"-2 1/2"	44
4"-2"	57
4"-3"	56




HOLANDEC

DIMENZIJA	a
1/2"	48
3/4"	52
1"	58
5/4"	65
6/4"	70
2"	78
2 1/2"	85
3"	95




OBJEMKA

DIMENZIJA	a
1/2"	36
3/4"	39
1"	45
5/4"	50
6/4"	55
2"	65
2 1/2"	74
3"	80
4"	94




ČEP

DIMENZIJA	a	s
3/8"	24	10
1/2"	26	11
3/4"	32	17
1"	36	19
1 1/4"	39	22
1 1/2"	41	22
2"	48	27
2 1/2"	54	32
3"	60	36



GH SPOJKA

DIMENZIJA	a	s
1/2"	88	41
3/4"	96	46
1"	106	55
5/4"	118	70
6/4"	122	75
2"	138	90
2 1/2"		
3"		



ALKATEN - SPOJKA

DIMENZIJA	a	s
1/2"	20	45
3/4"	25	55
1"	32	65
5/4"	40	75
6/4"	50	80
2"	63	100